

CVS METAL INDUSTRIES SDN BHD

IP55


SPECIFICATIONS & DIMENSIONS

CVS-S18
Rev 1.2


CVS MODULAR SYSTEM

HEIGHT OF ENCLOSURE: 2000 MM

WIDTH OF ENCLOSURE: 600 MM




TOP VIEW




12x20 DBLONG FOR MOUNTING


MOUNTING PLATE




FRONT VIEW



RIGHT VIEW



GLAND PLATE



SECTIONAL BOTTOM VIEW

MS MODEL DESCRIPTION		
PART NAME	MATERIAL	FINISHING
BODY, DOOR, DOOR RAIL	2.0MM M.S	POLYESTER POWDER COATED
REAR, SIDE, TOP PANEL, GLAND PLATE	1.4MM M.S	RAL 7032, BEIGE
MOUNTING PLATE	3.0MM G.I	-
PLINTH	2.0/3.0 MM M.S	POLYESTER POWDER COATED, BLACK
LOCK & KEY (EMKA GERMANY)	POLYAMIDE	BLACK

MODEL	DIMENSIONS			WEIGHT WITH PLINTH	GLAND PLATE			
	H	W	D		TYPE 'A' DIM.	NO	TYPE 'B' DIM.	NO
MS 206/40	2000	600	400	125 KG	387 x 100	1PC	387 x 160	1PC
MS 206/50	2000	600	500	133 KG	387 x 100	2PCS	387 x 160	1PC
MS 206/60	2000	600	600	140 KG	387 x 100	2PCS	387 x 260	1PC
MS 206/80	2000	600	800	147 KG	387 x 100	2PCS	387 x 460	1PC

NOTES: 1) ALL MEASUREMENTS ARE IN MM UNLESS OTHERWISE STATED

2) HOLE CUTOUTS ON DOOR WITHIN SHADED AREA: 1809MMx434MM

3) EARTH STUD ON DOOR, SIDE PANELS, REAR PANELS & TOP PANELS

4) ACCESSORIES: FAN, FILTER, ROOF VENT. UNIT, DDC. POCKET, FIXED RACK/SWING FRAME, EYE BOLT/LIFTING BRACKET, GLASS/POLYCARBONATE DOOR, COMPARTMENT DOOR, LIMIT SWITCH, LIGHTING ETC

CVS METAL INDUSTRIES SDN BHD







IP55

SPECIFICATIONS & DIMENSIONS

CVS MODULAR SYSTEM

HEIGHT OF ENCLOSURE: 2000 MM

WIDTH OF ENCLOSURE: 800 MM



MS MODEL DESCRIPTION

PART NAME	MATERIAL	FINISHING
BODY, DOOR, DOOR RAIL	2.0MM M.S	POLYESTER POWDER COATED RAL 7032, BEIGE
REAR, SIDE, TOP PANEL, GLAND PLATE	1.4MM M.S	
MOUNTING PLATE	3.0MM G.I	-
PLINTH	2.0/3.0 MM M.S	POLYESTER POWDER COATED, BLACK
LOCK & KEY (EMKA GERMANY)	POLYAMIDE	BLACK

MODEL	DIMENSIONS			WEIGHT WITH PLINTH	GLAND PLATE			
	H	W	D		TYPE 'A' DIM.	NO	TYPE 'B' DIM.	NO
MS 208/40	2000	800	400	157 KG	587 x 100	1PC	587 x 160	1PC
MS 208/50	2000	800	500	165 KG	587 x 100	2PCS	587 x 160	1PC
MS 208/60	2000	800	600	172 KG	587 x 100	2PCS	587 x 260	1PC
MS 208/80	2000	800	800	187 KG	587 x 100	2PCS	587 x 460	1PC

NOTES: 1) ALL MEASUREMENTS ARE IN MM UNLESS OTHERWISE STATED

2) HOLE CUTOUTS ON DOOR WITHIN SHADED AREA: 1809MMx634MM

3) EARTH STUD ON DOOR, SIDE PANELS, REAR PANELS & TOP PANELS

4) ACCESSORIES: FAN, FILTER, ROOF VENT. UNIT, DOC. POCKET, FIXED RACK/SWING FRAME, EYE BOLT/LIFTING BRACKET, GLASS/POLYCARBONATE DOOR, COMPARTMENT DOOR, LIMIT SWITCH, LIGHTING ETC

CVS METAL INDUSTRIES SDN BHD

IP55


SPECIFICATIONS & DIMENSIONS

CVS-S19
Rev 1.2


CVS MODULAR SYSTEM

HEIGHT OF ENCLOSURE: 2000 MM


WIDTH OF ENCLOSURE: 1000 MM




TOP VIEW




FRONT VIEW




RIGHT VIEW



MOUNTING PLATE



SECTIONAL BOTTOM VIEW



GLAND PLATE

MS MODEL DESCRIPTION		
PART NAME	MATERIAL	FINISHING
BODY, DOOR, DOOR RAIL	2.0MM M.S	POLYESTER POWDER COATED
REAR, SIDE, TOP PANEL, GLAND PLATE	1.4MM M.S	RAL 7032, BEIGE
MOUNTING PLATE	3.0MM G.I	-
PLINTH	2.0/3.0 MM M.S	POLYESTER POWDER COATED, BLACK
LOCK & KEY (EMKA GERMANY)	POLYAMIDE	BLACK

MODEL	DIMENSIONS			WEIGHT WITH PLINTH	GLAND PLATE			
	H	W	D		TYPE 'A' DIM.	NO	TYPE 'B' DIM.	NO
MS 2010/40	2000	1000	400	230 KG	787 x 100	1PC	787 x 160	1PC
MS 2010/50	2000	1000	500	237 KG	787 x 100	2PCS	787 x 160	1PC
MS 2010/60	2000	1000	600	244 KG	787 x 100	2PCS	787 x 260	1PC
MS 2010/80	2000	1000	800	260 KG	787 x 100	2PCS	787 x 460	1PC

NOTES: 1) ALL MEASUREMENTS ARE IN MM UNLESS OTHERWISE STATED

2) HOLE OPENINGS ON DOORS WITHIN SHADED AREAS: 1809MMx359MM & 1809MMx309MM

3) EARTH STUD ON DOOR, SIDE PANELS, REAR PANELS & TOP PANELS

4) ACCESSORIES: FAN, FILTER, ROOF VENT. UNIT, DOC. POCKET, FIXED RACK/SWING FRAME, EYE BOLT/LIFTING BRACKET, GLASS/POLYCARBONATE DOOR, COMPARTMENT DOOR, LIMIT SWITCH, LIGHTING ETC

CVS METAL INDUSTRIES SDN BHD

IP55


SPECIFICATIONS & DIMENSIONS

CVS-S20
Rev : 2


CVS MODULAR SYSTEM

HEIGHT OF ENCLOSURE: 2000 MM


WIDTH OF ENCLOSURE: 1200 MM




TOP VIEW




FRONT VIEW




RIGHT VIEW



12x20 DBLONG FOR MOUNTING
MOUNTING PLATE



SECTIONAL BOTTOM VIEW



GLAND PLATE

MS MODEL DESCRIPTION

PART NAME	MATERIAL	FINISHING
BODY, DOOR, DOOR RAIL	2.0MM M.S	POLYESTER POWDER COATED
REAR, SIDE, TOP PANEL, GLAND PLATE	1.4MM M.S	RAL 7032, BEIGE
MOUNTING PLATE	3.0MM G.I	-
PLINTH	2.0/3.0 MM M.S	POLYESTER POWDER COATED, BLACK
LOCK & KEY (EMKA GERMANY)	POLYAMIDE	BLACK

MODEL	DIMENSIONS			WEIGHT WITH PLINTH	GLAND PLATE			
	H	W	D		TYPE 'A' DIM.	NO	TYPE 'B' DIM.	NO
MS 2012/40	2000	1200	400	267 KG	387 x 100	2PCS	387 x 160	2PCS
MS 2012/50	2000	1200	500	275 KG	387 x 100	4PCS	387 x 160	2PCS
MS 2012/60	2000	1200	600	283 KG	387 x 100	4PCS	387 x 260	2PCS
MS 2012/80	2000	1200	800	300 KG	387 x 100	4PCS	387 x 460	2PCS

NOTES: 1) ALL MEASUREMENTS ARE IN MM UNLESS OTHERWISE STATED

2) HOLE OPENINGS ON DOORS WITHIN SHADED AREAS: 1809MM x 459MM & 1809MM x 409MM

3) EARTH STUD ON DOOR, SIDE PANELS, REAR PANELS & TOP PANELS

4) ACCESSORIES: FAN, FILTER, ROOF VENT. UNIT, DOC. POCKET, FIXED RACK/SWING FRAME, EYE BOLT/LIFTING BRACKET, GLASS/POLYCARBONATE DOOR, COMPARTMENT DOOR, LIMIT SWITCH, LIGHTING ETC